looked into by the Public Works Department. We will examine the question and see whether it would be possible to carry out the work.

മിസ്റ്റർ പി. മാണി: സഭയുടെ അനുവാദത്തോടുകൂടി ഞാൻ ഇതിനെ പിൻവലിക്കുന്നു.

Cut Motion, by leave, withdrawn

CUT MOTION No. 11

Pulikkamal Road

മിസ്റ്റർ പി. മാണി: സർ, അടുത്ത രണ്ടു നമ്പർ ബന്ധപ്പെട്ടവയാണെന്നതുകൊണ്ട് ഇതോടൊപ്പംകൂടി ഇതിനെ പ്രത്യേകം അവതരിപ്പിക്കുവാൻ അനുവദിക്കണമെന്നുപേക്ഷിക്കുന്നു.

Mr. President: Do they refer to the same road or to different roads?

Mr. P. Mani *(Kanayannur):* The road is one and the same, but under different village Panchayats.

Mr. President: The two motions may be moved together.

മിസ്റ്റർ പി. മാണി: ഇരുപഞ്ചായത്തുകൾക്കും പുതിയകാവിലമ്മ ഒരു റോഡു ഉണ്ടാക്കിട്ടുണ്ടെന്ന വളരെക്കാലമായി അവിടത്തെ പൊതുജനങ്ങൾ ആവശ്യപ്പെട്ടതിന്റെ ഫലമായി എതാണ്ടു ഭാഗത്തു അതായതു്, നെൽകൃഷി സ്ഥലങ്ങളുടെ രണ്ടുവശത്തും വളരെക്കാലംമുമ്പു തന്നെ ഈ റോഡു ഉറപ്പുവെച്ചിട്ടുണ്ടു്. ഇന്നു ആ റോഡിൽകൂടി കുറെ ദൂരം നടന്നുവരാം. പിന്നീടു് വെള്ളത്തിൽ നിന്നുണം. ഇതാണു് ആ റോഡിന്റെ പരിതസ്ഥിതി. പബ്ലിക് വർക്സ് ഡിപ്പാർട്ടുമെന്റിൽനിന്നും എസ്റ്റിമേറ്റാണു് എന്നു തോന്നുന്നു പതിനായിരത്തോളം രൂപയ്ക്കു ചിലവുചെയ്യുമെന്നു പറയപ്പെട്ടിരുന്നു. ഇന്നു ഈ പാലത്തിൽ പൊതുജനങ്ങൾക്കു വെള്ളത്തിൽ നിന്നാതെ തരമില്ല. ഇതാണു് അതിന്റെ നില. അതുകൊണ്ടു ഗവൺമെന്റു ദയവായി ഈ സംഗതിയിൽ എതാനും സംഖ്യകൂടി അനുവദിച്ചു ഈ റോഡിന്റെ പണി പൂർത്തിയാക്കിതന്നാൽ കൊള്ളാമെന്നുള്ള ഒരുപക്ഷയാണു് എനിക്കുള്ളതു്.

Mr. Puthur Achutha Menon *(Kattur):* I second the motion.

Mr. Parambi Lonappen *(Minister for Rural Development):* I think the expenditure as far as we have estimated involved in building the road is not heavy and therefore it is the intention of the Government to take it up. This is with regard to cut motion No. 8. As far as cut motion No. 7 is concerned, there is a small paddy field between the two roads on the other side. It is even now good enough for pedestrians to go and the cost involved for connecting the roads is very heavy and therefore probably the construction of that road will have to wait for some time. Anyway that will be looked into.

Mr. P. Mani *(Kanayannur):* I withdraw the cut motions.

Cut Motions, by leave, withdrawn

Mr. V. R. Krishnan Ezhuthassan *(Urakam):* Sir, I find that the new Panchayat Act contains the suggestion contained in the cut motion standing in my name. Therefore, I do not move this motion.

CUT MOTION No. 12

Landing place at Iyyattukadavu

Mr. C. S. Panicker *(Adur):* Sir, the motion in my name is—to reduce the allotment of Rs. 8,00,509 for Panchayats in Demand No. 4 by Re. 1—the necessity of providing a suitable landing place on the left bank of the Chalakkudi river at Iyyattukadavu Ferry in the Kallur Vadakkummuri Village.

സർ, ഈ ബന്ധപ്പെട്ടവിഷയം ഇവിടെ കൊണ്ടുവന്നിട്ടുള്ളതു് ഗവൺമെന്റിന്റെ ഒരു വിഷയത്തിൽ ഞാനുയെ പ്രധാനമായി ചൂണ്ടിക്കാണിക്കുന്നതിനാണു്. സാധാരണമായി കടത്തു ലേലം വിളിക്കുന്ന അവസരങ്ങളിൽ ഈ കടത്തുകടത്തുമ്പോൾ ജനങ്ങൾ എവിടെയാണു് ഇറങ്ങുന്നതു് എന്നു ഔദ്യോഗികമായ ഗൗരവമായിട്ടു മുദ്രപ്പെടുത്താറുണ്ടോ എന്നു സംശയിക്കേണ്ടിയിരിക്കുന്നു ഇതിനുമുമ്പു് ഈ കടത്തിൽകൂടി ഒരുവിധം ജനങ്ങൾക്കു കടന്നുപോകുവാൻ സാധിച്ചിരുന്നു ആ പുഴയുടെ തീരത്തു താമസിച്ചിരുന്ന ഒരാൾ ലേലം വിളിച്ചിരുന്നതുകൊണ്ടാണു്. അക്കാലത്തു അയാളുടെ വിടിനടുത്തുകൂടി ആളുകളെ കടന്നുപോകുവാൻ

LIBRARY ARCHIVES Kerala Legislative Assembly

അയാൾ അനുവദിച്ചിരുന്നു. ഇപ്പോൾ കടത്തു മറ്റൊരാൾ ലേലം വിളിച്ചതിനാൽ ആ കടത്തു ഇറങ്ങിയാൽ അവിടെനിന്നു പുറത്തേക്കു വരുവാൻ നിവൃത്തിയില്ലാതെയാണിരിക്കുന്നതു്. ഈ കടത്തിറങ്ങുന്ന സ്ഥലത്തു ഒരു സ്ലൂസ് ഇട്ടിട്ടുണ്ടു്. അതിലെ പലകകളുടെ ഉള്ളിൽ കൂടികടക്കുവാനും തരമില്ല. ഒരിഞ്ചു പുറംപോക്കുസ്ഥലംപോലും ഇല്ലാത്ത സ്ഥലത്താണു് ഈ കടത്തു വെച്ചിരിക്കുന്നതു്. അതുകൊണ്ടു ഈ കടത്തിറങ്ങിയാൽ പുറത്തേക്കു വരുവാനുള്ള ഒരു പരിഹാരംകൂടി ആ സ്ഥലത്തു ഉടനടിയുണ്ടാക്കിത്തരണമെന്നുള്ള ഒരുപേക്ഷമാത്രമാണു് ഞാൻ ഈ ഖണ്ഡനോപക്ഷേപംകൊണ്ടു ഉദ്ദേശിക്കുന്നതു്.

മിസ്റ്റർ വി. ആർ. കൃഷ്ണനെഴുത്തശ്ശൻ: ഞാൻ ഇതിനെ പിൻതാങ്ങുന്നു.

Mr. Parambi Lonappen *(Minister for Rural Development)*: Sir, I like touring very much and I intend touring throughout the length and breadth of the State if possible in almost all the villages (hear, hear); and I have got reports from my departments that the work will be undertaken at the earliest possible opportunity. But before it is done I wish to satisfy myself whether it is very urgent and if it is urgent, it will be done quickly. With this assurance I hope the Hon'ble Member will not press the cut.

മിസ്റ്റർ സി. എസ്സ്. പണിക്കർ: ഈ ഉറപ്പിന്മേൽ ഞാൻ എന്റെ ഉപക്ഷേപത്തെ സഭയുടെ അനുവാദത്തോടുകൂടി പിൻവലിച്ചുകൊള്ളുന്നു.

Cut Motion, by leave, withdrawn

Demand put and carried

3 Panchayats—(Cranganur)—Rs. 3,089

Mr. Parambi Lonappen *(Minister for Rural Development)*: Sir, I rise to move for a grant of Rs. 3,089 under "3 Panchayats—Cranganur." I do not propose to make a speech. I request that the amount may be sanctioned.

Demand put and carried

30—Public Works—Rs. 38,83,504

Mr. V. K. Aravindaksha Menon *(Chief Engineer)*: Sir, I rise to move an allotment of Rs. 38,83,504 under 30—Public Works.

I have listened with great profit and interest to the several speeches made by the Hon'ble Members during the General discussions of the Budget. I think it would be of help and of interest to the Hon'ble Members if I should make a statement at this stage on some of the important subjects which have a direct connection with the activity of the P. W. D. referred to by the Hon'ble Members.

The importance which industrial development will have in the post-war period has focussed attention on the development of hydro-electric power in the State. We have at present an industrial load amounting to 6728 H. P. Means have, therefore, to be found for the provision of this power in the State if we do not want to see the unwelcome sight of these industries migrating elsewhere. The Peringalkuttu Hydro-Electric Scheme, as recommended to us, by the famous firm of Consulting Engineers, Messrs. Rendal Palmer and Tritton was worked out in two stages. The first stage provided for the installation of 5,000 K. W. and in the second stage 10,000 K. W. The Chalakkudi river at the site of the Poringalkuttu falls has a catchment area of 370 sq. miles and the run off in the river up to the 1st of January is generally over 500 cusecs which is sufficient to generate about 16,000 K. W. or 20,000 H. P. But after February till June the river dries up quickly and the run-off goes down to as low as even 30 cusecs though it be for a few days. It is to equalise the flow during these dry months that storage works become necessary and the availability of such storage sites really limits the maximum capacity of the station. We have already applied to the Government of India for priority for the supply of machinery for this scheme. In the meanwhile it is our intention to continue the preparation of detailed estimates for this scheme so as to be in a position to start the works as soon as it becomes possible. Sir Henry Howard has also kindly consented to give us his help in this matter.

Another point which has attracted the attention of the members to a marked degree is the provision for an adequate water supply to the littoral areas in Cochin. I need not remind the House that we have been in the midst of a war for the past six years. During this time every commodity has been controlled and more than iron and steel. It has been impossible to get

LIBRARY ARCHIVES Kerala Legislative Assembly